



120 m³/h



CONCRETE PRODUCTION AT A CAPACITY OF 120 m³/h:

- STATIONARYMIX ST-120
- SUPERMOBILMIX ST-120
- COMPACTMIX ST-120





STATIONARYMIX ST-120




- TRANSPORTATION WITH 5 TRUCKS
- 2 EASY TRANSPORTATION THANKS TO HINGE SYSTEM
- (3) HIGH QUALITY RAW MATERIAL
- 4 QUICK SERVICE AND SPARE PARTS
- 5 STRONG MIXER WEARING PLATES
- 6 EXCELLENT PERFORMANCE ON HEAVY-DUTY CONDITIONS
- **7** ECONOMIC DESIGN TO REDUCE COSTS



STATIONARYMIX ST-120



CAPACITY / HR	m ³ /h	120/150
MIXER TYPE		Twin Shaft
MIXER CAPACITY	Liter	3000
DRY FILLING CAPACITY	Liter	4500
COMPACTED CONCRETE - OUTPUT	Liter	3000
AGGREGATE STOCKING	m^3	120-180
AGGREGATE COMPARTMENTS		4-6
AGGREGATE WEIGHING HOPPER CAPACITY	m ³	8-10
CEMENT WEIGHING HOPPER CAPACITY	Liter	1500
WATER WEIGHING HOPPER CAPACITY	Liter	800
TOTAL POWER	kW	200
VOLTAGE (various alternatives)	400V-50HZ	



MODULMIX / COMPACTMIX



- TRANSPORTATION WITH A SINGLE TRUCK EXCEPT THE SILO
- (2) HIGH QUALITY RAW MATERIAL
- 3 EXCELLENT PERFORMANCE ON HEAVY-DUTY CONDITIONS


- 4 QUICK SERVICE AND SPARE PARTS
- 5 STRONG MIXER WEARING PLATES
- 6 ECONOMIC DESIGN TO REDUCE COSTS



SUPERMOBILMIX ST-120



CAPACITY / HR	m ³ /h	120
MIXER TYPE	m^3	Twin Shaft
DRY FILLING CAPACITY	Liter	4500
COMPACTED CONCRETE - OUTPUT	Liter	3000
AGGREGATE DEPOLAMA	m^3	4x20=80
AGGREGATE COMPARTMENTS	Each	4
AGGREGATE WEIGHING HOPPER CAPACITY	m ³	10
ADDITIVE HOPPER CAPACITY	kg	10
CEMENT WEIGHING HOPPER CAPACITY	Liter	1200
WATER WEIGHING HOPPER CAPACITY	Liter	800
TOTAL POWER	kW	200
AGGREGATES LOADING SYSTEM	mm	800x14000
VOLTAGE (various alternatives)	400V-50HZ	




COMPACTMIX ST-120





CAPACITY / HR	m ³ /h	120
MIXER TYPE	m^3	Twin Shaft
MIXER CAPACITY	Liter	3000
DRY FILLING CAPACITY	Liter	4500
COMPACTED CONCRETE - OUTPUT	Liter	3000
AGGREGATE STOCKING	m^3	4×25=100
AGGREGATE COMPARTMENTS	Each	4
AGGREGATE WEIGHING HOPPER CAPACITY	m ³	10
ADDITIVE HOPPER CAPACITY	kg	50
CEMENT WEIGHING HOPPER CAPACITY	Liter	2000
WATER WEIGHING HOPPER CAPACITY	Liter	800
TOTAL POWER	kW	200
VOLTAGE (various alternatives)	400V-50HZ	









www.stainmann.com



info@stainmann.com



+38 (067) 801 77 00



facebook.com/ StainmannMaschinenbau

instagram.com/ stainmannmachinenbau



www.youtube.com/channel/stainmann